


## Personal Geodatabase (GIS data) for the Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho IGS DWM-80, 2006, GIS Dataset

### ArcGIS Personal Geodatabase



### Tags

Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Idaho

### Summary

Digital geologic map data (GIS database) of the Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho, 2006, intended for non site-specific investigations. The Geodatabase data set is contained in the Personal Geodatabase: MurphyGeology\_pGDB.mdb.

### Description

These data were created from original field work or compiled from existing geologic map data at scales of from 1:24,000 to 1:125,000. Data source is the IGS publication DWM-80, 2006, Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho. This Personal Geodatabase is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09).

All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data.

Feature classes included with datasetSpatial data feature classes:

**CartographicLines**--Geologic cartographic object for the Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho, For example, headwall tics and fault decorations, as they were converted from original CAD document. Intended for non site-specific investigations.

**MapUnitCentroids**--Map unit polygon annotations (Labels)  
**CartographicLines**--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

**Contacts**--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons. Use the "type" field to classify contact type or to link to the Glossary. This Feature Class is not part of the NCGMP09 standard.

**ContactsAndFaults**--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Used to build map unit polygons. Use the "type" field to classify contact type or to link to the Glossary. Use the "FaultMovement" field to classify fault type or to link to the Glossary.

**Faults**--Geologic faults. Includes all faults; both dangler faults and contact -faults. Use the "FaultMovement" field to classify fault type or to link to the Glossary. This Feature Class is not part of the NCGMP09 standard.

**Dikes**--Geologic dikes (lines too small to map as polygons). Use the mapunit field to classify or to link to the DescriptionOfMapUnits table. This Feature Class is not part of the NCGMP09 standard.

**Geologic Points**--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary if desired.

**Orientations Points**--Orientation Point data. Includes strike and dip and foliations measurements. Use the "type" field to classify or to link to the Glossary.

**GeologicLines**--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terraces scarps, axial fold traces, or avalanche trace. Use the "type" field to classify or to link to the Glossary.

**MapUnitPolygons**--Geologic map units polygons. These are the main features of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table. Link via the MapUnit field.

**MurphyVolcanoPolys**--Polygons showing volcano type locations within the Murphy 30 x 60 minute quadrangle. Descriptions

for these units can be found in the DescriptionOfMapUnits feature class/table. Link via the MapUnit field.

Non Spatial data tables:

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all Feature Classes. For example, moraine\_crest: Definition--glacial moraine ridge crest. Features in feature classes can be link to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources\_ID in Sources.

DataDictionary--Field/attribute descriptions for fields in all Feature Classes and non-spatial tables in this data set.

## Credits

Science data credit: Bill Bonnicksen and Martha M. Godchaux

GIS credit: Loudon R. Stanford, William R. Schuster, B. Benjamin E. Studer, and Jane S. Freed.

## Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:125,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

## Extent

**West** -117.00    **East** -116.00  
**North** 43.50    **South** 43.0

## Scale Range

**Maximum (zoomed in)** 1:50,000  
**Minimum (zoomed out)** 1:500,000

## ArcGIS Metadata ▶

### Topics and Keywords ▶

THEMES OR CATEGORIES OF THE RESOURCE    geoscientificInformation

CONTENT TYPE    Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION    No

*Hide Topics and Keywords ▲*

### Citation ▶

TITLE    Personal Geodatabase (GIS data) for the Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho IGS DWM-80, 2006, GIS Dataset

SERIES

NAME    Digital Web Map

ISSUE    80

*Hide Citation ▲*

### Citation Contacts ▶

RESPONSIBLE PARTY

ORGANIZATION'S NAME    Idaho Geological Survey

CONTACT'S ROLE    originator

CONTACT INFORMATION ▶

PHONE

VOICE    208-885-7991

ADDRESS

TYPE    postal

DELIVERY POINT    875 Perimeter Dr. MS 3014

CITY    Moscow

ADMINISTRATIVE AREA    Idaho

POSTAL CODE 83844-3014  
 COUNTRY US  
 E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

## Resource Details ►

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

### CREDITS

Science data credit: Bill Bonnichsen and Martha M. Godchaux

GIS credit: Loudon R. Stanford, William R. Schuster, B. Benjamin E. Studer, and Jane S. Freed.

### ARCGIS ITEM PROPERTIES

[Hide Resource Details ▲](#)

## Extents ►

### EXTENT

#### GEOGRAPHIC EXTENT

##### BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

WEST LONGITUDE -117.00

EAST LONGITUDE -116.00

NORTH LATITUDE 43.50

SOUTH LATITUDE 43.0

EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Resource Points of Contact ►

### POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

### CONTACT INFORMATION ►

#### PHONE

VOICE 208-885-7991

#### ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA Idaho

POSTAL CODE 83844-3014

COUNTRY US

E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

## Resource Maintenance ►

### RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

## Resource Constraints ►

### CONSTRAINTS

#### LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:125,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data

to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

## Data Quality ►

SCOPE OF QUALITY INFORMATION ►  
RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►  
MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSource table in this data set via "DataSource\_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80 (+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy. Use scale for each geologic data source to determine relative accuracy of line work. Use the DataSourceID linked to the DataSource Table to find scale.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

## Lineage ►

LINEAGE STATEMENT

These data were created from original field work or compiled from existing geologic map data at scales of from 1:24,000 to 1:125,000. The overall data source publication is IGS publication Geologic Map of the Murphy 30 x 60 Minute Quadrangle, Ada, Canyon, Elmore, and Owyhee Counties, Idaho IGS DWM-80, 2006,

Data sources are stored in the DataSourceID field for each Feature Class in the data set. References for these attributes are stored in the DataSource table in the data set. Information about authorship, data type, scale, and more can be found in this table.

[Hide Lineage ▲](#)

## Geoprocessing history ►

PROCESS

PROCESS NAME  
DATE 2016-02-12 11:46:19  
TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB  
COMMAND ISSUED  
CreatePersonalGDB W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5\MurphyGeology\_pGDB CURRENT  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2016-02-12 11:48:09  
TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
COMMAND ISSUED  
FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5\MapUnitPolys.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5\MurphyGeology\_pGDB.mdb  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2016-02-12 11:48:18  
TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
COMMAND ISSUED  
FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09

\Round\_5/Contacts.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:24

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/OrientationPoints.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:30

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/Faults.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:36

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/GeologicPoints.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:41

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/Dikes.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:47

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/GeologicLines.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:48:54

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/CartographicLines.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:49:03

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/ContactsAndFaults.SHP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09  
\Round\_5/MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-02-12 11:49:59

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/C W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:50:13

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/CAF W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:50:25

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/CAF W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:50:38

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/D W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:50:50

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/D W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:51:03

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/GL W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:51:15

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/GP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:51:28

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

##### COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/MUP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

#### PROCESS

##### PROCESS NAME

DATE 2016-02-12 11:51:42

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/OP W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2016-02-12 11:51:54

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/SOURCESFile W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2016-02-12 11:52:07

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/XGLOSSARYNOTFOUND W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2016-02-12 11:52:20

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5/attributes-GDB.mdb/XIGSSourceNOTFOUND W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2016-02-12 12:02:00

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

## COMMAND ISSUED

Compact W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Murphy\GIS\_NCGMP09\Round\_5\MurphyGeology\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

## Distribution ►

## DISTRIBUTION FORMAT

NAME ArcGIS Personal Geodatabase

## DISTRIBUTION FORMAT

NAME Shape files

## TRANSFER OPTIONS

## ONLINE SOURCE

LOCATION [http://www.idahogeology.org/Products/reverselook.asp?](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Murphy_30_x_60_Quadrangle,_Ada,_Canyon,_Elmore,_and_Owyhee_Counties,_Idaho)

[switch=title&value=Geologic\\_Map\\_of\\_the\\_Murphy\\_30\\_x\\_60\\_Quadrangle,\\_Ada,\\_Canyon,\\_Elmore,\\_and\\_Owyhee\\_Counties,\\_Idaho](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Murphy_30_x_60_Quadrangle,_Ada,_Canyon,_Elmore,_and_Owyhee_Counties,_Idaho)

FUNCTION PERFORMED download

[Hide Distribution ▲](#)

## Fields ►

## OVERVIEW DESCRIPTION ►

## ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

## Metadata Details ►

METADATA LANGUAGE English  
 METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

LAST UPDATE 2016-03-08

#### ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0  
 STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2016-02-12 11:46:19  
 LAST MODIFIED IN ARCGIS FOR THE ITEM 2016-03-15 11:18:09

AUTOMATIC UPDATES  
 HAVE BEEN PERFORMED No

[Hide Metadata Details ▲](#)

## Metadata Contacts ►

#### METADATA CONTACT

ORGANIZATION'S NAME Idaho Geological Survey  
 CONTACT'S ROLE originator

#### CONTACT INFORMATION ►

PHONE  
 VOICE 208-885-7991

#### ADDRESS

TYPE postal  
 DELIVERY POINT 875 Perimeter Dr. MS 3014  
 CITY Moscow  
 ADMINISTRATIVE AREA Idaho  
 POSTAL CODE 83844-3014  
 COUNTRY US  
 E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

## Metadata Maintenance ►

#### MAINTENANCE

UPDATE FREQUENCY as needed

#### MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey  
 CONTACT'S ROLE originator

#### CONTACT INFORMATION ►

PHONE  
 VOICE 208-885-7991

#### ADDRESS

TYPE postal  
 DELIVERY POINT 875 Perimeter Dr. MS 3014  
 CITY Moscow  
 ADMINISTRATIVE AREA Idaho  
 POSTAL CODE 83844-3014  
 COUNTRY US  
 E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Metadata Maintenance ▲](#)

## Metadata Constraints ►

#### CONSTRAINTS

##### LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:125,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSourcees table and the DataSourceID in each



Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Metadata Constraints ▲](#)

### Thumbnail and Enclosures ►

THUMBNAIL  
THUMBNAIL TYPE   JPG

[Hide Thumbnail and Enclosures ▲](#)

### FGDC Metadata (read-only) ▼