


Stratigraphic Correlation of the Paleozoic and Mesozoic Rocks of Idaho

Peter E. Isaacson

assisted by

Steven L. Bachtel and Mark D. McFadden



Borah Peak (Idaho's highest peak at 12,662 feet), in the central Lost River Range, is composed of a Silurian and Devonian limestone and dolomite sequence. The Lost River Range represents basin and range uplift. Borah Peak is a horst within the range, which is mostly composed of Mississippian carbonate banks. Photograph: Idaho Department of Commerce & Development.


**Idaho Department of Lands
Idaho Bureau of Mines and Geology
Moscow, Idaho 83843**

**Information Circular 37
June 1983**

Stratigraphic Correlation of the Paleozoic and Mesozoic Rocks of Idaho

by
Peter E. Isaacson
 assisted by
Steven L. Bachtel and Mark D. McFadden

1983



LEGEND

- ARG — ARGILLITE
- COL — CONGLOMERATE
- CHT — CHERT
- DOL — DOLOMITE
- FM — FORMATION
- LS — LIMESTONE
- MBR — MEMBER
- META-CARB — METAMORPHIC CARBONATE
- META-CGL — METAMORPHIC CONGLOMERATE
- META-QTZ — METAMORPHIC QUARTZITE
- META-VOL — METAMORPHIC VOLCANICS
- MST — MUDSTONE
- QZT — QUARTZITE
- SH — SHALE
- SS — SANDSTONE
- STS — SILTSTONE
- VOL — VOLCANICS
- ~ — UNCONFORMITY
- ORD — ORDOVICIAN
- pC — PRECAMBRIAN

ACKNOWLEDGMENTS

Jerry L. Harbour, Phillips Petroleum Co., originated the idea of this project with Isaacson, while Harbour was with the Idaho Bureau of Mines and Geology. The following individuals reviewed an early draft of this chart and offered many constructive comments. The author, however, accepts sole responsibility for its content.

Betty A. Skipp, U.S. Geological Survey, Denver, Colorado
 Rueben J. Ross, Jr., Colorado School of Mines, Golden, Colorado
 Charles A. Sandberg, U.S. Geological Survey, Denver, Colorado

Information Circular 37
 Idaho Department of Lands
 Bureau of Mines and Geology
 Moscow, Idaho 83843

Design by Sheryl A. Siegmund
 Cartography by
 Printed by RonoGraphic Communications,
 Portland, Oregon



Stratigraphic Correlation of the Paleozoic and Mesozoic Rocks of Idaho

REFERENCES

- 1 Albee, H. F., 1964, Preliminary geological map of the Garns Mountain northeast quadrangle, Teton County, Idaho: U.S. Geological Survey Mineral Investigations Field Studies Map MF-274.
- 2 Armstrong, F. C., 1953, Generalized composite stratigraphic section for the Soda Springs quadrangle and adjacent areas in southeastern Idaho, *in* Guide to the Geology of Northern Utah and Southern Idaho: Intermountain Association of Petroleum Geologists, 4th Annual Field Conference.
- 3 Armstrong, F. C., 1969, Geologic map of the Soda Springs quadrangle, southeast Idaho: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-557.
- 4 Armstrong, R. L., 1968, Mantled gneiss domes in the Albion Range, southern Idaho: Geological Society of America Bulletin, v. 79, p. 1295-1314.
- 5 Balster, C. A., 1980, Stratigraphic nomenclature chart for Montana and adjacent areas: Montana Bureau of Mines and Geology Geologic Map 8.
- 6 Beus, S. S., 1963, Geology of the central Blue Spring Hills, Utah-Idaho: University of California Los Angeles Ph.D. thesis, 233 p.
- 7 Beus, S. S., 1968, Paleozoic stratigraphy of Samaria Mountain, Idaho-Utah: American Association of Petroleum Geologists Bulletin 52, p. 782-808.
- 8 Brooks, H. C. and T. L. Vallier, 1978, Mesozoic rocks and tectonic evolution of eastern Oregon and western Idaho, *in* D. G. Howell and K. A. McDougall, editors, Mesozoic Paleogeography of the Western United States: Pacific Coast Paleogeography Symposium 2, Pacific Section, Society of Economic Paleontologists and Mineralogists, p. 133-145.
- 9 Carter, Claire and Michael Churkin, Jr., 1977, Ordovician and Silurian graptolite succession in the Trail Creek area, central Idaho: a graptolite zone reference section: U.S. Geological Survey Professional Paper 1020, 37 p.
- 10 Coats, R. R., 1980, The Roberts Mountains thrust in central Twin Falls County, Idaho: Geological Society of America, Rocky Mountain Section, Abstracts with Programs, v. 12, no. 6, p. 270.
- 11 Conner, J. L. and J. F. Hatch, 1980, Stratigraphy of the Sage Valley and Elk Valley quadrangles, western Wyoming and southeastern Idaho: Wyoming Geological Association Guidebook, 31st Annual Field Conference, p. 263-277.
- 12 Cressman, E. R., 1964, Geology of the Georgetown Canyon-Snowdrift Mountain area, southeastern Idaho: U.S. Geological Survey Bulletin 1153, 105 p.
- 13 Denison, R. H., 1968, Middle Devonian fishes from the Lemhi Range, Idaho: Fieldiana Geology, v. 16, no. 10, p. 269-288.
- 14 Derstler, Kraig and D. O. McCandless, 1981, Cambrian trilobites and trace fossils from the southern Lemhi Range, Idaho: their stratigraphic and paleotectonic significance: Geological Society of America, Rocky Mountain Section, Abstracts with Programs, v. 13, no. 4, p. 194.
- 15 Dover, J. H., W. B. N. Berry, and R. J. Ross, Jr., 1980, Ordovician and Silurian Phi Kappa and Trail Creek Formations, Pioneer Mountains, central Idaho: U.S. Geological Survey Professional Paper 1090, 54 p.
- 16 Dutro, J. T. and W. J. Sando, 1963, New Mississippian formations and faunal zones in Chesterfield Range, Portneuf quadrangle, southeast Idaho: American Association of Petroleum Geologists Bulletin 47, no. 11, p. 1963-1986.
- 17 Entzminger, D. J., 1979, Revision of Upper Cretaceous stratigraphy—Big Hole Mountains, Idaho: Earth Science Bulletin, v. 12, no. 4, p. 15-24.
- 18 Eyer, J. A., 1969, Gannett Group of western and southeastern Idaho: American Association of Petroleum Geologists Bulletin 53, no. 7, p. 1368-1390.
- 19 Furer, L. C., 1970, Petrology and stratigraphy of nonmarine Upper Jurassic-Lower Cretaceous rocks in western Wyoming and southeastern Idaho: American Association of Petroleum Geologists Bulletin 54, p. 2282-2302.
- 20 Galvin, T. J., 1981, Stratigraphy, faunal assemblages and depositional environments of the Surrect Canyon Formation (Chesterian), Lost River Range, south-central Idaho: University of Idaho M.S. thesis, 116 p.
- 21 Gutschick, R. C., C. A. Sandberg, and W. J. Sando, 1980, Mississippian shelf margin and carbonate platform from Montana to Nevada, *in* T. D. Fouch and E. R. Magathan, editors, Paleozoic Paleogeography of the West-Central United States: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Paleogeology Symposium 1, Rocky Mountain Section, p. 111-128.
- 22 Hall, W. E., John Batchelder, and R. C. Douglass, 1974, Stratigraphic section of the Wood River Formation, Blaine County, Idaho: U.S. Geological Survey Journal of Research, v. 2, no. 1, p. 89-95.
- 23 Harrison, J. E. and D. A. Jobin, 1965, Geologic map of the Packsaddle Mountain quadrangle, Idaho: U.S. Geological Survey Geologic Quadrangle Map GQ-375. Quadrangle Map GQ-375.
- 24 Hays, W. H., A. G. Harris, J. T. Dutro, and R. J. Ross, Jr., 1980, Stratigraphic sections of Middle Paleozoic rocks in the vicinity of Spar Canyon, Custer County, Idaho: U.S. Geological Survey Open-File Report 80-1097, 82 p.

- 25 Hays, W. H., D. H. McIntyre, and S. W. Hobbs, 1978, Geologic map of the Lone Pine Peak quadrangle, Custer County, Idaho: U.S. Geological Survey Open-File Report 78-1060.
- 26 Hobbs, S. W., W. H. Hays, and D. H. McIntyre, 1975, Geologic map of the Clayton quadrangle, Custer County, Idaho—description of map units: U.S. Geological Survey Open-File Report 75-76, 23 p.
- 27 Hobbs, S. W., W. H. Hays, and R. J. Ross, Jr., 1968, The Kinnikinic Quartzite of central Idaho—redefinition and subdivision: U.S. Geological Survey Bulletin 1254-J, 22 p.
- 28 Hoggan, R. D., 1980, A Middle Devonian channel deposit in the Jefferson Formation, Lemhi Range, Lemhi County, Idaho: Geological Society of America, Rocky Mountain Section, Abstracts with Programs, v. 12, no. 6, p. 275.
- 29 Holm, M. R., W. C. James, and L. J. Suttner, 1977, Comparison of the Peterson and Draney Limestones, Idaho and Wyoming, and calcareous members of the Kootenai Formation, western Montana: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 259-270.
- 30 Hubbard, C. R., 1956, Geology and mineral resources of Nez Perce County: Idaho Bureau of Mines and Geology County Report 1, 17 p.
- 31 Huh, O. K., 1968, Mississippian stratigraphy and sedimentology across the Wasatch Line, east-central Idaho and extreme southwestern Montana: Pennsylvania State University Ph.D. thesis, 174 p.
- 32 Imlay, R. W., 1981, Jurassic (Bathonian and Callovian) ammonites in eastern Oregon and western Idaho: U.S. Geological Survey Professional Paper 1142, 24 p.
- 33 Imlay, R. W., 1967, Twin Creek Limestone (Jurassic) in the western interior of the United States: U.S. Geological Survey Professional Paper 540, 103 p.
- 34 Imlay, R. W., 1964, Upper Jurassic mollusks from eastern Oregon and western Idaho: U.S. Geological Survey Professional Paper 483-D, 21 p.
- 35 Ingwell, T. H., 1980, Stratigraphy and structural geology of the Merriam Lake area, Lost River Range, Idaho: University of California, Los Angeles M.S. thesis, 173 p.
- 36 Isaacson, P. E., T. J. Galvin, and R. B. Blodgett, 1981, Silurian Roberts Mountains Formation in Idaho: continental margin sedimentation?: Geological Society of America, Rocky Mountain Section, Abstracts with Programs, v. 13, no. 4, p. 200.
- 37 Ishibashi, G. D., 1980, Stratigraphy of the Pennsylvanian-Permian sequence exposed in the Sublett Range of southern Idaho: Geological Society of America, Rocky Mountain Section, Abstracts with Programs, v. 12, no. 6, p. 275.
- 38 James, W. C. and R. Q. Oaks, Jr., 1977, Petrology of the Kinnikinic Quartzite (Middle Ordovician), east-central Idaho: Journal of Sedimentary Petrology, v. 47, no. 4, p. 1491-1511.
- 39 Jobin, D. A. and M. L. Schroeder, 1964, Geology of the Conant Valley quadrangle, Bonneville County, Idaho: U.S. Geological Survey Mineral Investigations Field Studies Map MF-277.
- 40 Jobin, D. A. and P. E. Soister, 1964, Geologic map of the Thompson Peak quadrangle, Bonneville County, Idaho: U.S. Geological Survey Mineral Investigations Field Studies Map MF-284.
- 41 Kiilsgaard, T. H., 1951, The geology and coal of the Horseshoe Creek district, Teton County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 92, 41 p.
- 42 Loucks, G. G., 1977, Geologic history of the Devonian, northern Alberta to southwest Arizona: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 119-134.
- 43 Mapel, W. J., W. H. Read, and R. K. Smith, 1965, Geologic map and sections of the Doublespring quadrangle, Custer and Lemhi Counties, Idaho: U.S. Geological Survey Geologic Quadrangle Map GQ-464.
- 44 Montgomery, K. M. and T. M. Cheney, 1967, Geology of the Stewart Flat quadrangle, Caribou County, Idaho: U.S. Geological Survey Bulletin 1217, 65 p.
- 45 Moritz, C. A., 1951, Triassic and Jurassic stratigraphy of southwestern Montana: American Association of Petroleum Geologists Bulletin, v. 35, no. 8, p. 1781-1814.
- 46 Moser, J. A., 1981, Stratigraphy of the Jefferson Formation in the southern Lost River Range, south-central Idaho: Washington State University M.S. thesis, 83 p.
- 47 Neely, K. W., 1981, Stratigraphy and paleoenvironments of the Late Mississippian White Knob Formation and equivalent rocks in the White Knob Mountains, south-central Idaho: University of Idaho M.S. thesis, 142 p.
- 48 Nelson, W. H. and C. P. Ross, 1969, Geology of the Mackay quadrangle, Idaho: U.S. Geological Survey Miscellaneous Investigations Series Map I-580.
- 49 Nevada Bureau of Mines and Geology, 1973, Correlation of Great Basin stratigraphic units: Nevada Bureau of Mines and Geology Bulletin 72.
- 50 Nilsen, T. H., 1977, Paleogeography of Mississippian turbidites in south-central Idaho, in J. H. Stewart, C. H. Stevens, and A. E. Fritsche, editors, Paleozoic Paleogeography of the Western United States: Society of Economic Paleontologists and Mineralogists, Pacific Coast Paleogeography Symposium 1, p. 275-299.
- 51 Olson, G., 1977, Catalog of Jurassic, Cretaceous and Tertiary rock names for the Overthrust Belt and vicinity: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 91-99.
- 52 Oriel, S. S., 1968, Preliminary geologic map of Bancroft quadrangle, Caribou and Bannock Counties, Idaho: U.S. Geological Survey Open-File Report 68-204.
- 53 Oriel, S. S., 1965, Preliminary geologic map of the SW ¼ of the Bancroft quadrangle, Bannock and Caribou Counties, Idaho: U.S. Geological Survey Mineral Investigations Field Studies Map MF-299.
- 54 Oriel, S. S. and L. B. Platt, 1980, Geologic map of Preston 1° x 2° quadrangle, southeastern Idaho and western Wyoming: U.S. Geological Survey Miscellaneous Investigations Map I-1127.

- 55 Pacht, J. A., 1977, Diagenesis of the Nugget Sandstone: western Wyoming and north-central Utah: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 207-219.
- 56 Pampeyan, E. H., M. L. Schroeder, E. M. Schell, and E. R. Cressman, 1967, Geologic map of the Driggs quadrangle, Bonneville and Teton Counties, Idaho, and Teton County, Wyoming: U.S. Geological Survey Mineral Investigations Field Studies Map MF-300.
- 57 Patterson-Wittstrom, Janice, 1980, Stratigraphy of the Jurassic Stump Formation: Wyoming Geological Association Guidebook, 31st Annual Field Conference, p. 91-100.
- 58 Pattison, L., 1977, Catalog of Triassic, Permian, and Paleozoic rock names for the Overthrust Belt and vicinity: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 81-90.
- 59 Paull, R. A. and D. P. Gruber, 1977, Little Copper Formation—new name for lowest formation of Mississippian Copper Basin Group, Pioneer Mountains, south-central Idaho: American Association of Petroleum Geologists Bulletin, v. 61, no. 2, p. 256-262.
- 60 Paull, R. A., M. A. Wolbrink, R. G. Volkmann, and R. L. Grover, 1972, Stratigraphy of Copper Basin Group, Pioneer Mountains, south-central Idaho: American Association of Petroleum Geologists Bulletin, v. 56, no. 8, p. 1370-1401.
- 61 Perry, D. G. and B. D. E. Chatterton, 1979, Late early Triassic brachiopod and conodont fauna, Thaynes Formation, southeastern Idaho: Journal of Paleontology, v. 53, no. 2, p. 307-319.
- 62 Pipiringos, G. N. and R. W. Imlay, 1979, Lithology and subdivisions of the Jurassic Stump Formation in southeastern Idaho and adjoining areas: U.S. Geological Survey Professional Paper 1035-C, 25 p.
- 63 Platt, L. B., 1977, Geologic map of the Ireland Springs-Samaria area, southeastern Idaho and northern Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-890.
- 64 Poole, F. G., C. A. Sandberg, and A. J. Boucot, 1977, Silurian and Devonian paleogeography of the western United States, in J. H. Stewart, C. H. Stevens, and A. E. Fritsche, editors, Paleozoic Paleogeography of the Western United States: Society of Economic Paleontologists and Mineralogists, Pacific Coast Paleogeography Symposium 1, p. 39-65.
- 65 Rember, W. C. and E. H. Bennett, 1979, Geologic map of the Dubois quadrangle, Idaho: Idaho Bureau of Mines and Geology Geologic Map Series.
- 66 Rember, W. C. and E. H. Bennett, 1979, Geologic map of the Hailey quadrangle, Idaho: Idaho Bureau of Mines and Geology Geologic Map Series.
- 67 Ross, C. P., 1961, Geology of the southern part of the Lemhi Range, Idaho: U.S. Geological Survey Bulletin 1081-F, p. 189-260.
- 68 Ross, C. P., 1947, Geology of the Borah Peak quadrangle, Idaho: Geological Society of America Bulletin, v. 58, no. 12, p. 1087-1125.
- 69 Ross, C. P., 1937, Geology and ore deposits of the Bayhorse region, Custer County, Idaho: U.S. Geological Survey Bulletin 877, 161 p.
- 70 Ross, R. J., Jr., 1982, personal communication.
- 71 Ross, R. J., Jr., 1982, The Ordovician System in the United States: International Union of Geological Sciences, Publication no. 12, 73 p.
- 72 Ross, R. J., Jr., 1974, Ordovician sedimentation in the western United States, in M. G. Basset, editor, The Ordovician System: Paleontological Association Symposium, Birmingham, p. 73-105.
- 73 Ross, R. J., Jr., 1959, Brachiopod fauna of Saturday Mountain Formation, southern Lemhi Range, Idaho: U.S. Geological Survey Professional Paper 294-L, p. 441-461.
- 74 Ruppel, E. T., 1980, Geologic map of the Patterson quadrangle, Lemhi County, Idaho: U.S. Geological Survey Geologic Quadrangle Map GQ-1529.
- 75 Ruppel, E. T. and D. A. Lopez, 1981, Geologic map of the Gilmore quadrangle, Lemhi and Custer Counties, Idaho: U.S. Geological Survey Geologic Quadrangle Map GQ-1543.
- 76 Ruppel, E. T., R. J. Ross, Jr., and David Schleicher, 1975, Precambrian and Lower Ordovician rocks in east-central Idaho: U.S. Geological Survey Professional Paper 889, 33 p.
- 77 Sandberg, C. A., 1975, McGowan Creek Formation, new name for Lower Mississippian flysch sequence in east-central Idaho: U.S. Geological Survey Bulletin 1405-E, 11 p.
- 78 Sandberg, C. A., 1982, personal communication.
- 79 Sandberg, C. A. and F. G. Poole, 1977, Conodont biostratigraphy and depositional complexes of Upper Devonian cratonic-platform and continental-shelf rocks in the western United States, in M. A. Murphy, W. B. N. Berry, and C. A. Sandberg, editors, Western North America: Devonian: University of California, Riverside Campus, Museum Contribution 4, p. 144-182.
- 80 Sandberg, C. A., W. E. Hall, J. N. Batchelder, and Claus Axelsen, 1975, Stratigraphy, conodont dating, and paleotectonic interpretation of the type Milligen Formation (Devonian), Wood River area, Idaho: U.S. Geological Survey Journal of Research, v. 3, no. 6, p. 707-720.
- 81 Sando, W. J., C. A. Sandberg, and R. C. Gutschick, 1981, Stratigraphic and economic significance of Mississippian Sequence at North Georgetown Canyon, Idaho: American Association of Petroleum Geologists Bulletin, v. 65, no. 8, p. 1433-1443.
- 82 Sartenaer, Paul and C. A. Sandberg, 1974, New North American species of Upper Famennian rhynchonellid genus *Megalopterorhynchus* from Lost River Range, Idaho: Journal of Paleontology, v. 48, no. 4, p. 756-765.
- 83 Scholten, Robert, K. A. Keenman, and W. O. Kupsch, 1955, Geology of the Lima region, southwestern Montana and adjacent Idaho: Geological Society of America Bulletin, v. 66, no. 4, p. 345-404.
- 84 Scholten, Robert and L. D. Ramspott, 1968, Tectonic mechanisms indicated by structural framework of central Beaverhead Range, Idaho-Montana: Geological Society of America Special Paper 104, 71 p.

- 85 Skipp, Betty, J. F. Baesemann, and P. L. Brenckle, 1981, Foraminifera and conodonts at the Mississippian-Pennsylvanian boundary, south-central Idaho: Geological Society of America, Annual Meeting, Abstracts with Programs, v. 13, no. 7, p. 555.
- 86 Skipp, Betty and M. H. Hait, Jr., 1977, Allochthons along the northeast margin of the Snake River Plain, Idaho: Wyoming Geological Association Guidebook, 29th Annual Field Conference, p. 499-515.
- 87 Skipp, Betty and W. E. Hall, 1975, Structure and paleozoic stratigraphy of a complex of thrust plates in the Fish Creek Reservoir area, south-central Idaho: U.S. Geological Survey Journal of Research, v. 3, no. 6, p. 671-689.
- 88 Skipp, Betty and W. E. Hall, 1980, Upper Paleozoic paleotectonics and paleogeography of Idaho, in T. D. Fouch and E. R. Magathan, editors, Paleozoic Paleogeography of the West-Central United States: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Paleogeography Symposium 1, Rocky Mountain Section, p. 387-422.
- 89 Skipp, Betty, R. D. Hoggan, D. L. Schleicher, and R. C. Douglass, 1979, Upper Paleozoic carbonate bank in east-central Idaho—Snaky Canyon, Bluebird Mountain, and Arco Hills Formations, and their paleotectonic significance: U.S. Geological Survey Bulletin 1486, 78 p.
- 90 Skipp, Betty and C. A. Sandberg, 1975, Silurian and Devonian miogeosynclinal and transitional rocks of the Fish Creek Reservoir window, central Idaho: U.S. Geological Survey Journal of Research, v. 3, no. 6, p. 691-706.
- 91 Skipp, Betty, W. J. Sando, and W. E. Hall, 1979, Mississippian and Pennsylvanian systems in the United States—Idaho: U.S. Geological Survey Professional Paper 1110, p. AA1-AA42.
- 92 Staatz, M. H., 1973, Geologic map of the Goat Mountain quadrangle, Lemhi County, Idaho and Beaverhead County, Montana: U.S. Geological Survey Geologic Quadrangle Map GQ-1097.
- 93 Staatz, M. H. and H. F. Albee, 1963, Preliminary geologic map of the Garns Mountain, SE quadrangle, Bonneville and Teton Counties, Idaho: U.S. Geological Survey Mineral Investigations Field Studies Map MF-262.
- 94 Staatz, M. H. and H. F. Albee, 1966, Geology of the Garns Mountain quadrangle, Bonneville, Madison, and Teton Counties, Idaho: U.S. Geological Survey Bulletin 1205, 122 p.
- 95 Stanley, G. D., Jr., 1979, Paleocology, structure, and distribution of Triassic coral buildups in western North America: University of Kansas Paleontological Contributions, Article 65, 58 p.
- 96 Sweet, W. C. and S. M. Bergstrom, 1974, Conodont biostratigraphy of the Middle and Upper Ordovician of the United States midcontinent, in M. G. Bassett, editor, The Ordovician System: Paleontological Association Symposium, Birmingham, p. 121-151.
- 97 Trimble, D. E., 1976, Geology of the Michaud and Pocatello quadrangles, Bannock and Power Counties, Idaho: U.S. Geological Survey Bulletin 1400, 88 p.
- 98 Trimble, D. E. and W. J. Carr, 1976, Geology of the Rockland and Arbon quadrangles, Power County, Idaho: U.S. Geological Bulletin 1399, 115 p.
- 99 Vallier, T. L., 1977, The Permian and Triassic Seven Devils Group, western Idaho and northeastern Oregon: U.S. Geological Survey Bulletin 1437, 58 p.
- 100 Vallier, T. L., H. C. Brooks, and T. P. Thayer, 1977, Paleozoic rocks of eastern Oregon and western Idaho, in J. H. Stewart, C. H. Stevens, and A. E. Fritsche, editors, Paleozoic Paleogeography of the Western United States: Society of Economic Paleontologists and Mineralogists, Pacific Coast Paleogeography Symposium 1, p. 455-466.
- 101 Wardlaw, B. R., 1979, Transgression of the Retort Phosphatic Shale Member of the Phosphoria Formation (Permian) in Idaho, Montana, Utah, and Wyoming: U.S. Geological Survey Professional Paper 1163-A, 3 p.
- 102 Wardlaw, B. R. and J. W. Collinson, 1979, Biostratigraphic zonation of the Park City Group: U.S. Geological Survey Professional Paper 1163-D, 6 p.
- 103 Wardlaw, B. R., J. W. Collinson, and K. B. Ketner, 1979, Regional relations of Middle Permian rocks in Idaho, Nevada, and Utah, in G. W. Newman and H. D. Goode, editors, Basin and Range Symposium and Great Basin Field Conference, Rocky Mountain Association of Geologists—Utah Geological Association, p. 277-283.
- 104 Wardlaw, B. R., J. W. Collinson, and E. K. Maughan, 1979, The Murdock Mountain Formation: a new unit of the Permian Park City Group: U.S. Geological Survey Professional Paper 1163-B, 4 p.
- 105 Wardlaw, B. R., J. W. Collinson, and E. K. Maughan, 1979, Stratigraphy of Park City Group equivalents (Permian) in southern Idaho, northeastern Nevada, and northwestern Utah: U.S. Geological Survey Professional Paper 1163-C, p. 9-16.
- 106 Williams, J. S. and M. E. Taylor, 1964, The Lower Devonian Water Canyon Formation of northern Utah: University of Wyoming, Contributions to Geology, v. 3, p. 38-53.
- 107 Witkind, I. J., 1972, Geologic map of the Henrys Lake quadrangle, Idaho and Montana: U.S. Geological Survey Map I-781-A.
- 108 Yancey, T. E., G. D. Ishibashi, and P. T. Bingman, 1980, Carboniferous and Permian stratigraphy of the Sublett Range, south-central Idaho, in T. D. Fouch and E. R. Magathan, editors, Paleozoic Paleogeography of the West-Central United States: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Paleogeography Symposium 1, Rocky Mountain Section, p. 259-269.
- 109 Youngquist, Walter and J. R. Haegele, 1956, Geological reconnaissance of the Cassia Mountain region, Twin Falls and Cassia Counties, Idaho: Idaho Bureau of Mines and Geology Pamphlet 110, 18 p. Idaho: Idaho Bureau of Mines and Geology Pamphlet 110, 18 p.