

Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Coeur d'Alene Quadrangle, Kootenai County, Idaho, 1999, Idaho Geological Survey Surficial Geologic Map 7 (SGM-7)



Tags

Kootenai County, Idaho, geologic map GIS, Rathdrum Prairie, Spokane River, Cougar Bay, Coeur d'Alene Lake

Summary

Digital geologic map data (GIS database) of the Surficial Geologic Map of the Coeur d'Alene Quadrangle, Kootenai County, Idaho, 1999, Idaho Geological Survey Surficial Geologic Map 7 (SGM-7),

Description

This map product addresses the increasing demand for geologic information in urban areas. The area covered by the map is experiencing the most rapid growth in Idaho. The geologic mapping was funded in part by STATEMAP, a national cooperative program of the U.S. Geological Survey with the state geological surveys. The map represents the geology of the materials and soils exposed near the earth's surface. The thickness of these deposits varies from a few feet in the upland areas to hundreds of feet in the Rathdrum Valley. The map is useful for determining the type and characteristics of the geologic materials found at the surface and in the shallow subsurface by agricultural activities, building excavations, construction material excavations, ditches, and well holes. The information can be used by government, industry, and the public for planning, development, and resource characterization.

These data were created from original field work collected at the scale of 1:24,000. Data source is the IGS publication SGM-7, *Surficial Geologic Map of the Coeur d'Alene Quadrangle, Kootenai County, Idaho, 1999*. The Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data.

Feature classes included in the Geodatabase dataset:

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps.

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons.

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

FloodBar_OverLayBdys—Boundary polylines of areas of Missoula Flood bar deposits.

FloodBar_OverLayPoly--Areas of Missoula Flood bar deposits.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terrace scarps, or avalanche trace.

MapUnitCentroids--Map unit polygon annotations (Labels).

MapUnitPolys--Geologic map unit polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

Non Spatial data tables: *Note: Look in folder "CoeurDAleene-SGM_7_ShapeFiles \Non-SpatialTables" for non-Microsoft versions of these tables. Two types: dBase III, and .csv (comma delimited text).*

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons.

Glossary--Look up table with explanations for geologic features found in all patial classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources_ID in Sources. DataDictionary—Listing and information about fields in most Feature Classes and tables.

Credits

Science data credit: Roy M. Breckenridge and Kurt L. Othberg

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, and Alan K. Schlerf

GIS contact: Linda Tedrow

Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. . The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

There is no extent for this item.

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE environment, geoscientificInformation

THEME KEYWORDS geoscientificInformation

THESAURUS ►

TITLE ISO 19115 Topic Categories

Hide Thesaurus ▲

THEME KEYWORDS Geoscientific Information, Kootenai County Idaho, Idaho, geologic map, GIS, Surficial Geologic Map, Idaho Geological Survey

Hide Topics and Keywords ▲

Citation ►

TITLE Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Coeur d'Alene Quadrangle, Kootenai County, Idaho, 1999, Idaho Geological Survey Surficial Geologic Map 7 (SGM-7)

PUBLICATION DATE 2018-02-09 00:00:00

SERIES

NAME Idaho Geological Survey Surficial Geologic Map
ISSUE 7

Hide Citation ▲

Citation Contacts ►

RESPONSIBLE PARTY

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

Hide Citation Contacts ▲

Resource Details ►

DATASET LANGUAGES English

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: Roy M. Breckenridge and Kurt L. Othberg

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, and Alan K. Schlerf

GIS contact: Linda Tedrow

[ARCGIS ITEM PROPERTIES](#)

* LOCATION file:///\\igs-rift\\shared\\DATABASE_MAPS\\GEOLOGY_tile_project\\Surficial\\CoeurDAleene_SGM-7\\GIS_NCGMP09\\CoeurDAleene-SGM_7-IGS\\cda_surficial_pGDB_deletefields.mdb
 * ACCESS PROTOCOL Local Area Network

[Hide Resource Details](#) ▲

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

WEST LONGITUDE	-116.875
EAST LONGITUDE	-116.75
SOUTH LATITUDE	47.625
NORTH LATITUDE	47.75

[Hide Extents](#) ▲

Resource Points of Contact ►

POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
 CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

PHONE
 VOICE 208-885-7991

ADDRESS

TYPE postal
 DELIVERY POINT 875 Perimeter Dr. MS 3014
 CITY Moscow
 ADMINISTRATIVE AREA ID
 POSTAL CODE 83844-3014
 COUNTRY US

[Hide Contact information](#) ▲

[Hide Resource Points of Contact](#) ▲

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance](#) ▲

Resource Constraints ►

LEGAL CONSTRAINTS

LIMITATIONS OF USE

See access and use constraints information.

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. . The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

Data Quality ►

SCOPE OF QUALITY INFORMATION ►
RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►**MEASURE DESCRIPTION**

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

Geoprocessing history ►**PROCESS**

PROCESS NAME

DATE 2017-12-16 10:59:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

COMMAND ISSUED

```
CreatePersonalGDB
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3 /cda_surficial_pGDB CURRENT
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 10:59:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/MapUnitPolys.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 10:59:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/Contacts.shp

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 10:59:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/OrientationPoints.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 10:59:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/Faults.shp

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3/cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 10:59:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/GeologicPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 10:59:54**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/Dikes.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 10:59:56**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/GeologicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 10:59:59**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/CartographicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:01**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/ContactsAndFaults.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS**PROCESS NAME****DATE** 2017-12-16 11:00:04**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\floodbar_MapUnitPolys.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:06**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase**COMMAND ISSUED**

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\floodbar_Bdys.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:18**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\attributes-GDB.mdb/C

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:20**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\attributes-GDB.mdb/CAF

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

\Round_3\cda_surficial_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:21**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09

```
\Round_3/attributes-GDB.mdb/CL  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/cda_surficial_pGDB.mdb  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS**PROCESS NAME****DATE** 2017-12-16 11:00:22**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

```
TableToGeodatabase  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/attributes-GDB.mdb/D  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:24**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

```
TableToGeodatabase  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/attributes-GDB.mdb/F  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:25**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

```
TableToGeodatabase  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/attributes-GDB.mdb/GL  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:26**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase**COMMAND ISSUED**

```
TableToGeodatabase  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/attributes-GDB.mdb/GP  
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09  
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No**PROCESS****PROCESS NAME****DATE** 2017-12-16 11:00:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/MUP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/OP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/OverlayUnitContacts_floodbar
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/OverlayUnitPolygons_floodbar
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/SOURCESFile
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/XGLOSSARYNOTFOUND
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:00:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/XIGSSourceNOTFOUND
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\Round_3/cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:02:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

COMMAND ISSUED

```
Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7
\GIS_NCGMP09\Round_3\cda_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-01-30 15:03:19

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Copy

COMMAND ISSUED

```
Copy W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7
\GIS_NCGMP09\Round_3\cda_surficial_pGDB_deletefields.mdb
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDALene_SGM-7\GIS_NCGMP09
\IGS\IGS_CoeurDALene-SGM_7.mdb Workspace
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE distributor

CONTACT INFORMATION ►**PHONE****VOICE** 208-885-7991**ADDRESS****TYPE** postal**DELIVERY POINT** 875 Perimeter Dr. MS 3014**CITY** Moscow**ADMINISTRATIVE AREA** ID**POSTAL CODE** 83844-3014**COUNTRY** US*[Hide Contact information ▲](#)**[Hide Distributor ▲](#)***TRANSFER OPTIONS****ONLINE SOURCE****LOCATION** [http://www.idahogeology.org/Products/MapCatalog/default.asp?
switch=title&value=SGM-7](http://www.idahogeology.org/Products/MapCatalog/default.asp?switch=title&value=SGM-7)**ONLINE SOURCE****LOCATION** [http://www.idahogeology.org/PDF/Maps_\(M\)/Surficial_Geologic_Maps_\(SGM\)/PDF/SGM-7-m.pdf](http://www.idahogeology.org/PDF/Maps_(M)/Surficial_Geologic_Maps_(SGM)/PDF/SGM-7-m.pdf)*[Hide Distribution ▲](#)***Fields ►****OVERVIEW DESCRIPTION ►****ENTITY AND ATTRIBUTE OVERVIEW**

See DataDictionary table in this dataset for complete listing of fields and attributes

*[Hide Overview Description ▲](#)**[Hide Fields ▲](#)***Metadata Details ►****METADATA LANGUAGE** English**METADATA CHARACTER SET** utf8 - 8 bit UCS Transfer Format**SCOPE OF THE DATA DESCRIBED BY THE METADATA** dataset**LAST UPDATE** 2017-07-19**ARCGIS METADATA PROPERTIES****METADATA FORMAT** ArcGIS 1.0**METADATA STYLE** FGDC CSDGM Metadata**STANDARD OR PROFILE USED TO EDIT METADATA** FGDC**CREATED IN ARCGIS FOR THE ITEM** 2018-01-30 15:03:18**LAST MODIFIED IN ARCGIS FOR THE ITEM** 2018-03-07 16:41:31

AUTOMATIC UPDATES**HAVE BEEN PERFORMED** No**ITEM LOCATION HISTORY****ITEM COPIED OR MOVED** 2018-01-30 15:03:18**FROM** W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDAlene_SGM-7**\GIS_NCGMP09\Round_3\cda_surficial_pGDB_deletefields.mdb****To** \\igs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\CoeurDAlene_SGM-7\GIS_NCGMP09\CoeurDAlene-SGM_7-IGS\cda_surficial_pGDB_deletefields.mdb*[Hide Metadata Details](#)* ▲**Metadata Contacts** ►**METADATA CONTACT****ORGANIZATION'S NAME** Idaho Geological Survey**CONTACT'S ROLE** point of contact**CONTACT INFORMATION** ►**PHONE****VOICE** 208-885-7991**ADDRESS****TYPE** postal**DELIVERY POINT** 875 Perimeter Dr. MS 3014**CITY** Moscow**ADMINISTRATIVE AREA** ID**POSTAL CODE** 83844-3014**COUNTRY** US*[Hide Contact information](#)* ▲*[Hide Metadata Contacts](#)* ▲**Metadata Maintenance** ►**MAINTENANCE****UPDATE FREQUENCY** as needed*[Hide Metadata Maintenance](#)* ▲**Metadata Constraints** ►**CONSTRAINTS****LIMITATIONS OF USE**

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. . The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Metadata Constraints ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼