


Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Green Knob Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 10 (SGM-10)



Tags

Surficial Geologic Map; Green Knob Quadrangle, Idaho; Latah County, Idaho; Nez Perce County, Idaho

Summary

Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Green Knob Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 10 (SGM-10), GIS Dataset

Description

These data were created from original field work collected at the scale of 1:24,000. Data source is the IGS publication SGM-10, *Surficial Geologic Map of the Green Knob Quadrangle, Latah and Nez Perce Counties, Idaho*, 2001. This Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data. Feature classes included in the Geodatabase dataset:

Spatial data feature classes:

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps,

terrace scarps, or avalanche trace.

MapUnitCentroids--Map unit polygon annotations (Labels)

MapUnitPolygons--Geologic map unit polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

PATTGRND_OverLayBdys—Boundary polylines of areas of patteredened ground.

PATTGRND_OverLayCentroids—Center point of polygon areas of patteredened ground.

PATTGRND_OverLayPolys—Polygons depicting areas of patteredened ground.

Non Spatial data tables:

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons.

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources_ID in Sources.

DataDictionary—Listing and information about fields in most Feature Classes and tables.

Credits

Science data credit: Kurt L. Othberg, Roy M. Breckenridge, and Daniel W. Weisz
 GIS credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed
 GIS contact: Linda Tedrow

Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

West	-116.875	East	-116.625
North	46.625	South	46.5

Scale Range

Maximum (zoomed in)	1:5,000
Minimum (zoomed out)	1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE environment, geoscientificInformation, structure

THEME KEYWORDS Latah County, Idaho; Nez Perce County, Idaho; Surficial Geologic Map; Green Knob Quadrangle;

[Hide Topics and Keywords ▲](#)

Citation ►

TITLE Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Green Knob Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 10 (SGM-10)

PUBLICATION DATE 2018-02-09 00:00:00

SERIES

NAME Idaho Geological Survey Surficial Geologic Map

ISSUE 10

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: Kurt L. Othberg, Roy M. Breckenridge, and Daniel W. Weisz

GIS credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed

GIS contact: Linda Tedrow

ARCGIS ITEM PROPERTIES

* LOCATION file:///igs-

rft/shared/DATABASE_MAPS/GEOLOGY_tile_project/Surficial/GreenKnob_SGM-10
 \GIS_NCGMP09\Round_4\GreenKnob-SGM_10\GreenKnob_SGM-10.mdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

WEST LONGITUDE -116.875

EAST LONGITUDE -116.625
 NORTH LATITUDE 46.625
 SOUTH LATITUDE 46.5

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME Idaho Geological Survey
 CONTACT'S ROLE originator

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

Data Quality ►

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►

MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the

most important for determining the quality of attribute accuracy.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2017-12-16 11:57:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

COMMAND ISSUED

CreatePersonalGDB

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4 /GreenKnobSurf_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/MapUnitPolys.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/Contacts.shp

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/OrientationPoints.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\Faults.shp

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GeologicPoints.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\Dikes.shp

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GeologicLines.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\CartographicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS**PROCESS NAME**

DATE 2017-12-16 11:58:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\ContactsAndFaults.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS**PROCESS NAME**

DATE 2017-12-16 11:58:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\PATTGRND_MapUnitPolys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS**PROCESS NAME**

DATE 2017-12-16 11:58:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\PATTGRND_Bdys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS**PROCESS NAME**

DATE 2017-12-16 11:58:39

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\attributes-GDB.mdb/C
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/CAF

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/CL

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/D

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/F

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09

\Round_4/attributes-GDB.mdb/GL
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:47

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/attributes-GDB.mdb/GP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/attributes-GDB.mdb/MUP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/attributes-GDB.mdb/OP

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/attributes-GDB.mdb/OverlayUnitContacts_PATTGRND

W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
\Round_4/GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/OverlayUnitPolygons_PATTGRND
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/SOURCESfile
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/XGLOSSARYNOTFOUND
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:58:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4/attributes-GDB.mdb/XIGSsourceNOTFOUND
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 12:00:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

COMMAND ISSUED

Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-01-30 17:22:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Copy

COMMAND ISSUED

Copy W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10
 \GIS_NCGMP09\Round_4\GreenKnobSurf_pGDB_fielddelete.mdb
 W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10\GIS_NCGMP09
 \Round_4\GreenKnob_SGM-10.mdb Workspace

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)**Distribution ►**

TRANSFER OPTIONS

ONLINE SOURCE

LOCATION [http://www.idahogeology.org/PDF/Maps_\(M\)/Surficial_Geologic_Maps_\(SGM\)/PDF/SGM-10-m.pdf](http://www.idahogeology.org/PDF/Maps_(M)/Surficial_Geologic_Maps_(SGM)/PDF/SGM-10-m.pdf)

[Hide Distribution ▲](#)**Fields ►**

OVERVIEW DESCRIPTION ►

ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)[Hide Fields ▲](#)**Metadata Details ►**

METADATA LANGUAGE English

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

LAST UPDATE 2018-01-31

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2018-01-30 17:35:10

LAST MODIFIED IN ARCGIS FOR THE ITEM 2018-03-05 15:05:31

AUTOMATIC UPDATES

HAVE BEEN PERFORMED No

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2018-01-30 17:35:10

FROM W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10
\GIS_NCGMP09\Round_4\GreenKnob_SGM-10.mdb
To \\igs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\GreenKnob_SGM-10
\GIS_NCGMP09\Round_4\GreenKnob_SGM-10\GreenKnob_SGM-10.mdb

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7479

ADDRESS

TYPE postal

DELIVERY POINT Idaho Geological Survey

CITY University of Idaho

ADMINISTRATIVE AREA Idaho

POSTAL CODE 83844-3014

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼