

## Surficial Geologic Map of the Moscow East Quadrangle and Part of the Moscow West Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 11 (SGM-11), GIS Dataset



Tags

surficial geology, Moscow East Quadrangle, Moscow West Quadrangle, Latah County, Idaho

### Summary

Digital geologic map data (GIS database) of the Surficial Geologic Map of the Moscow East Quadrangle and Part of the Moscow West Quadrangle, Latah County, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 11 (SGM-11).

These data were created from original field work collected at the scale of 1:24,000. Data source is the IGS publication SGM-11, Moscow East Quadrangle and Part of the Moscow West Quadrangle, Latah County, Idaho, 2001. The Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09).

### Description

The surficial geologic map of the Moscow East and Moscow West quadrangles identifies earth materials on the surface and in the shallow subsurface. It is intended for those interested in the area's natural resources, urban and rural growth, and private and public land development. The information relates to assessing diverse conditions and activities, such as slope stability, construction design, sewage drainage, solid waste sites, and the recharge of potable ground water. Details depicted at this scale provide an overview of the area's geology.

These data were created from original field work collected at the scale of 1:24,000. Data source is the IGS publication SGM-11, Moscow East Quadrangle and Part of the Moscow West Quadrangle, Latah County, Idaho, 2001. The Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09).

### Feature classes included in the Geodatabase dataset:

*(Look in folder "\MoscowE\_West\_SGM-11\_ShapeFiles" for shape file versions)*

Spatial data feature classes:

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

ESurfaceOverLayPolys--Areas of erosional or depositional surface graded to a base level ancestral to and higher than the present drainage system.

ESurfaceOverLayCentroids— The geometric centers of ESurface polygon deposits.

ESurfaceOverLayBdys—Boundary polylines of areas of ESurface deposits.

LoessOverLayPolys--Areas of loess deposits.

LoessOverLayCentroids— The geometric centers of loess deposits.

LoessOverLayBdys—Boundary polylines of loess deposits.

MapUnitCentroids-- The geometric centers of the polygons in the Map Unit Polygon feature class that includes the polygon attributes.

MapUnitPolygons--Geologic map unit polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

PattGrndOverLayPolys--Areas of patterned ground: small circular mounds (5-15 feet in diameter) that include silty deposits separated by stony intermound areas.

PattGrndOverLayCentroids— The geometric centers of patterned ground deposits.

PattGrndOverLayBdys— Boundary polylines of patterned ground deposits.

PedimentOverLayPolys—Polygon areas depicting beveled and graded pediment deposits.

PedimentOverLayCentroids— The geometric centers of polygons depicting pediment deposits.

PedimentOverLayBdys—Boundary polylines of areas of pediment deposits.

Non Spatial data tables:

*Note: Look in folder "\MoscowE\_West\_ShapeFiles \Non-SpatialTables" for non-Microsoft versions of these tables. Two types: dBase III, and .csv (comma delimited text).*

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine\_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources\_ID in Sources.

DataDictionary—Listing and information about fields in most Feature Classes and tables

### Credits

Science Credit: Kurt L. Othberg and Roy M. Breckenridge  
 GIS Credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed  
 GIS Contact: Linda Tedrow

### Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

### Extent

**West** -117.04    **East** -116.875  
**North** 48.625    **South** 46.75

### Scale Range

**Maximum (zoomed in)** 1:5,000  
**Minimum (zoomed out)** 1:150,000,000

## ArcGIS Metadata ▶

### Citation ▶

**TITLE** Surficial Geologic Map of the Moscow East Quadrangle and Part of the Moscow West Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 11 (SGM-11), GIS Dataset  
**PUBLICATION DATE** 2018-03-09 00:00:00  
**REVISION DATE** 2018-03-06 00:00:00

#### SERIES

**NAME** Surficial Geologic Map  
**ISSUE** 11

[Hide Citation ▲](#)

### Citation Contacts ▶

#### RESPONSIBLE PARTY

**INDIVIDUAL'S NAME** Idaho Geological Survey  
**CONTACT'S ROLE** originator

#### CONTACT INFORMATION ▶

**PHONE**  
**VOICE** (208)885-7991

#### ADDRESS

**TYPE** postal  
**DELIVERY POINT** 875 Perimeter Drive MS 3014  
**CITY** Moscow  
**ADMINISTRATIVE AREA** ID  
**POSTAL CODE** 83844-3014  
**COUNTRY** US  
**E-MAIL ADDRESS** igs@uidaho.edu

[Hide Contact information ▲](#)

#### RESPONSIBLE PARTY

**INDIVIDUAL'S NAME** Idaho Geological Survey  
**CONTACT'S ROLE** originator

[Hide Citation Contacts ▲](#)

### Resource Details ▶

**DATASET LANGUAGES** English  
**DATASET CHARACTER SET** utf8 - 8 bit UCS Transfer Format

**STATUS** completed  
**SPATIAL REPRESENTATION TYPE** vector

#### SPATIAL RESOLUTION

**DATASET'S SCALE**  
**SCALE DENOMINATOR** 24000

#### CREDITS

Science Credit: Kurt L. Othberg and Roy M. Breckenridge  
 GIS Credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed  
 GIS Contact: Linda Tedrow

#### ARCGIS ITEM PROPERTIES

\* **LOCATION** file://\\\igs-rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB - Copy.mdb  
 \* **ACCESS PROTOCOL** Local Area Network

[Hide Resource Details ▲](#)

### Extents ▶

#### EXTENT

**GEOGRAPHIC EXTENT**

BOUNDING RECTANGLE  
 EXTENT TYPE Extent used for searching  
 WEST LONGITUDE -117.04  
 EAST LONGITUDE -116.875  
 SOUTH LATITUDE 46.75  
 NORTH LATITUDE 48.625  
 EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Resource Maintenance ►

RESOURCE MAINTENANCE  
 UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

## Resource Constraints ►

CONSTRAINTS  
 LIMITATIONS OF USE  
 Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

## Data Quality ►

SCOPE OF QUALITY INFORMATION ►  
 RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - QUANTITATIVE ATTRIBUTE ACCURACY ►  
 DIMENSION horizontal

MEASURE DESCRIPTION  
 Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource\_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION METHOD  
 Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

[Hide Data quality report - Quantitative attribute accuracy ▲](#)

[Hide Data Quality ▲](#)

## Geoprocessing history ►

PROCESS  
 PROCESS NAME  
 DATE 2017-12-16 13:43:30  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB  
 COMMAND ISSUED  
 CreatePersonalGDB W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3 /MoscowEWSurf\_pGDB CURRENT  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS  
 PROCESS NAME  
 DATE 2017-12-16 13:43:55  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED  
 FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MapUnitPolys.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS  
 PROCESS NAME  
 DATE 2017-12-16 13:43:57  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED  
 FeatureClassToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\Contacts.shp  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS  
 PROCESS NAME  
 DATE 2017-12-16 13:43:59  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\OrientationPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\Faults.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\GeologicPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:04
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\Dikes.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\GeologicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:07
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\CartographicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\ContactsAndFaults.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09
\Round_3\PattGrnd_MapUnitPolys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09
\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\PattGrnd_Bdys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09
\Round_3\Pediment_MapUnitPolys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09
\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\Pediment_Bdys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\MoscowE_West_SGM-11\GIS_NCGMP09\Round_3\MoscowEWSurf_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

## PROCESS

```
PROCESS NAME
DATE 2017-12-16 13:44:18
```





## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\attributes-GDB.mdb/SOURCESFile  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

## PROCESS

## PROCESS NAME

DATE **2017-12-16 13:45:09**

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\attributes-  
GDB.mdb/XGLOSSARYNOTFOUND W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

## PROCESS

## PROCESS NAME

DATE **2017-12-16 13:45:11**

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\attributes-  
GDB.mdb/XIGSourceNOTFOUND W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

## PROCESS

## PROCESS NAME

DATE **2017-12-16 13:48:29**

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

## COMMAND ISSUED

Compact W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

[Hide Geoprocessing history ▲](#)

**Distribution ►**

## TRANSFER OPTIONS

## ONLINE SOURCE

LOCATION [http://www.idahogeology.org/Products/reverselook.asp?](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Surficial_Geologic_Map_of_the_Moscow_East_Quadrangle_and_Part_of_the_Moscow_West_Quadrangle,_Latah_and_Nez_Perce_Counties,_Idah)

[switch=title&value=Surficial\\_Geologic\\_Map\\_of\\_the\\_Moscow\\_East\\_Quadrangle\\_and\\_Part\\_of\\_the\\_Moscow\\_West\\_Quadrangle,\\_Latah\\_and\\_Nez\\_Perce\\_Counties,\\_Idah](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Surficial_Geologic_Map_of_the_Moscow_East_Quadrangle_and_Part_of_the_Moscow_West_Quadrangle,_Latah_and_Nez_Perce_Counties,_Idah)

[Hide Distribution ▲](#)

**Fields ►**

## OVERVIEW DESCRIPTION ►

## ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

**Metadata Details ►**

METADATA LANGUAGE **English**

METADATA CHARACTER SET **utf8 - 8 bit UCS Transfer Format**

SCOPE OF THE DATA DESCRIBED BY THE METADATA **dataset**

LAST UPDATE **2018-03-06**

## ARCGIS METADATA PROPERTIES

METADATA FORMAT **ArcGIS 1.0**

METADATA STYLE **FGDC CSDGM Metadata**

STANDARD OR PROFILE USED TO EDIT METADATA **FGDC**

CREATED IN ARCGIS FOR THE ITEM **2018-01-20 11:40:27**

LAST MODIFIED IN ARCGIS FOR THE ITEM **2018-03-08 12:15:05**

## AUTOMATIC UPDATES

HAVE BEEN PERFORMED **No**

## ITEM LOCATION HISTORY

ITEM COPIED OR MOVED **2018-01-20 11:40:27**

FROM **W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB.mdb**

TO **\\igs-rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\MoscowE\_West\_SGM-11\GIS\_NCGMP09\Round\_3\MoscowEWSurf\_pGDB - Copy.mdb**

[Hide Metadata Details ▲](#)

**Metadata Contacts ►**

## METADATA CONTACT

INDIVIDUAL'S NAME **Idaho Geological Survey**

CONTACT'S ROLE **originator**

## CONTACT INFORMATION ►

## PHONE

VOICE **(208)885-7991**

## ADDRESS

TYPE **postal**

DELIVERY POINT **875 Perimeter Drive MS 3014**

CITY **Moscow**  
ADMINISTRATIVE AREA **ID**  
POSTAL CODE **83844-3014**  
COUNTRY **US**  
E-MAIL ADDRESS **igs@uidaho.edu**

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

### **Thumbnail and Enclosures ►**

THUMBNAIL  
THUMBNAIL TYPE **JPG**

[Hide Thumbnail and Enclosures ▲](#)

### **FGDC Metadata (read-only) ▼**